


Part No.	Code.	Name.	No. Used	Price Each.
TRANSMISSION				
(When ordering parts from this list, it is absolutely necessary to state whether yours is a Mechanics' or a Grant-Lee's Transmission.)				
6-B-100	Filose	TRANSMISSION ASSEMBLY (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	On Application.	1
6-B-1000	Filter	TRANSMISSION ASSEMBLY (Model 5A, 6 and 9, from Car No. 3601 on Model 5A)	95.00	1
89-B-100	Filthy	TRANSMISSION ASSEMBLY (Model 29)	95.00	1
11-B-4000	Finale	TRANSMISSION ASSEMBLY (Model 8 and 11)	95.00	1
Case				
6-B-101	Finary	Transmission Case (Model 4, 5 and 5A, to car No. 3600 on Model 5A)	On Application.	1
X-28-102		Pipe Plug 3/8"	2	1
6-B-1005	Finder	Elbow 3/8"	1	1
29-B-101	Finely	Transmission Case (Model 5A, 6 and 9, from Car No. 3601 on Model 5A)	17.85	1
X-28-103		Pine Plug 1/2"	2	1
X-28-204		Elbow 1/2"	1	1
11-B-2001	Finery	Transmission Case (Model 8 and 11)	17.85	1
X-28-103		Pipe Plug 1/2" (Special)	2	1
X-28-204		Elbow 1/2" (Special)	1	1
11-C-131	Finger	Clutch Collar Grease Tube Flange (Model 8 and 11)	38	1
X-2-107		Hex Cap Screw 1/4" - 20 x 3/4" U. S. S. (Model 8 and 11)	2	2
X-9-101		Lock Washer 1/4" (Model 8 and 11)	2	2
X-28-202		Elbow 1/4"	1	1
X-18-102		Grease Cup No. 0	1	1
6-B-625	Finial	Hand Hole Cover (Model 4, 5 and 5A, to car No. 3600 on Model 5A)	On Application.	1
X-2-119		Hex Cap Screw 5-16" - 18 x 1/2" U. S. S.	2	2
X-9-102		Lock Washer 5-16"	2	2
6-B-1611	Finish	Hand Hole Cover (Model 5A, 6, 9, 29, 8 and 11, from Car No. 3601 on Model 5A)	32	1
X-2-255		Fillister Head Cap Screw 5-16" - 18 x 3/4" U. S. S.	2	2
X-9-102		Lock Washer 5-16"	2	2
Bearings				
6-B-605	Finite Finned	Front Bearing (New Departure 207)	5.48	1
6-B-611	Finnic	Front Bearing Cage (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	.25	1
6-B-610	Fipple	Front Bearing Retaining Washer (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	.19	1
		Front Bearing Cap (Used with Felt Packing) (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	On Application.	1

For illustration of parts described on this page see page 46.



Transmission Assembly

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
X-2-128		Hex Cap Screw $\frac{3}{8}$ "—16 x 1" U. S. S.	4	
X-9-103		Lock Washer $\frac{3}{8}$ "	4	
X-33-111		Felt Washer	1	
6-B-627	Firing	Front Bearing Cap (Used without Felt Packing) (Model 6, 9 and 29)	1	.20
X-2-123		Hex Cap Screw $\frac{5}{16}$ "—18 x $\frac{3}{4}$ " U. S. S.	3	
X-9-102		Lock Washer $\frac{5}{16}$ "	3	
11-B-627	Firkin	Front Bearing Cap (Model 8 and 11)	1	.16
11-B-628	Firman	Front Bearing Cap Gasket (Model 8 and 11)	1	.03
11-B-629	Firmly	Crown Head Bolt $\frac{5}{16}$ "—18 x 1 $\frac{11}{16}$ " U. S. S. (Model 8 and 11)	3	.09
X-12-102		Hex Nut $\frac{5}{16}$ "—18 U. S. S.	3	
X-9-102		Lock Washer $\frac{5}{16}$ "	3	
6-B-601	Fiscal Fisher	Rear Bearing (New Departure No. 305) Rear Bearing Cage (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	1	5.50
			1	.25

Third Member Yoke Bracket

6-B-620	Fistic	Third Member Yoke Bracket (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	1	4.15
X-33-105		Felt Washer $1\frac{1}{2}$ "	1	
X-2-128		Hex Cap Screw $\frac{3}{8}$ "—16 x 1" U. S. S.	4	
X-9-103		Lock Washer $\frac{3}{8}$ "	4	
6-B-1613	Fitful	Third Member Yoke Bracket (Model 5A, 6, 9 and 29, from Car No. 3601 on Model 5A)	1	4.15
11-B-613	Fitter	Third Member Yoke Bracket (Model 8 and 11)	1	4.15
X-33-112		Felt Washer $1\frac{1}{2}$ "	1	
X-2-126		Hex Cap Screw $\frac{3}{8}$ "—16 x $\frac{3}{4}$ " U. S. S.	4	.03
X-9-103		Lock Washer $\frac{3}{8}$ "	4	
11-B-631	Fixing	Third Member Yoke Bracket Gasket (Model 8 and 11)	1	.02
6-B-621	Fixity	Third Member Yoke Bracket Bolt Spacer (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	2	
6-B-2883	Figzig	Third Member Yoke Bracket Bolt Spacer (Model 5A, 6, 9, 29, 8 and 11, from Car No. 3601 on Model 5A)	2	.02
X-3-136		Hex Cap Screw $\frac{3}{8}$ "—24 x 2" S. A. E.	2	
6-B-11-103		Hex Nut $\frac{3}{8}$ "—24 S. A. E. (Model 5A, 6, 9 and 29)	2	
6-B-11-153		Hex Castle Nut $\frac{3}{8}$ "—24 S. A. E. (Model 8 and 11)	2	
6-B-9-103		Lock Washer $\frac{3}{8}$ "	2	

For illustration of parts described on this page see page 46.




Illustration of parts described on pages 45 and 47.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
Shafts and Gears				
6-B-305	Fizzle	Main Drive Shaft (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	1	On Appli- cation.
11-B-309	Flabby	Main Drive Shaft Nut (Model 8 and 11)	1	.19
11-B-311	Flaggy	Main Drive Shaft Nut Lock Washer (Model 8 and 11)	1	.06
6-B-1614	Flagon	Drive Shaft Block (Model 5A, 6, 9, 29, 8 and 11, from Car No. 3601 on Model 5A)	1	1.36
X-16-108		Key 3/16" x 1/4" x 1 1/2"	2	
X-88-203		Hex Nut 5/8"—18 S. A. E. (Special) (Model 8 and 11)	1	
X-8-168		Plain Washer 21/32" (Special) (Model 8 and 11)	1	
6-B-201	Flamen	Main Drive Gear (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	1	On Appli- cation.
X-16-107		Key 3/16" x 1/4" x 3/4"	2	
6-B-1307	Flanch	Main Drive Gear (15 Teeth) (Model 5A, 6, 9 and 29, from Car No. 3601 to Transmission No. A-150)	1	5.60
6-B-2307	Flange	Main Drive Gear (14 Teeth) (Model 6, 9 and 29) (Used after Trans- mission No. A150)	1	5.60
11-B-307	Flashy	Main Drive Gear (Model 8 and 11)	1	
6-B-1407	Flatly	Main Drive Gear Bushing (Model 5A, 6, 9, 29, 8 and 11, from Car No. 3601 on Model 5A)	1	1.10
6-B-301	Flatus	Spline Shaft (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	1	On Appli- cation.
X-8-160		Special Washer 1"	1	
X-88-101		Hex Castle Nut 5/8"—18 S. A. E. (Special)	1	
X-6-123		Cotter Pin 1/8" x 1 1/4"	1	
6-B-1308	Flaunt	Spline Shaft (Model 5A, 6, 9 and 29, from Car No. 3601 on Model 5A)	1	5.50
6-B-1612	Flavor	Spline Shaft Nut 5/8"—18 S. A. E. (Model 5A, 6, 9 and 29, from Car No. 3601 on Model 5A)	1	.03
6-B-1615	Flaxen	Spline Shaft Nut Washer (Model 5A, 6, 9 and 29, from Car No. 3601 on Model 5A)	2	.02
X-6-113		Cotter Pin 3/32" x 1"	1	
11-B-308	Flayer	Spline Shaft (Model 8 and 11)	1	6.28
X-88-203		Hex Nut 5/8"—18 S. A. E. (Special)	1	
X-8-168		Plain Washer 21/32" (Special)	1	
X-6-111		Cotter Pin 3/32" x 3/4"	1	
6-B-401	Fledge	Spline Shaft Bearing (Roller Bearing) (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	1	.92
6-B-210	Flense	Low and Reverse Sliding Gear (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	1	On Appli- cation.
6-B-1207	Fletch	Low and Reverse Sliding Gear (Model 5A, 6, 9 and 29, from Car No. 3601 on Model 5A)	1	5.20




Illustration of parts described on page 49.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each
11-B-207	Flewed	Low and Reverse Sliding Gear (Model 8 and 11) -----	1	5.65
5-B-205	Flight	High and Intermediate Sliding Gear (Model 4, 5 and 5A, to car No. 3600 on Model 5A) -----	On Application.	
5-B-1206	Flimsy	High and Intermediate Sliding Gear (Model 5A, 6, 9 and 29, from Car No. 3601 on Model 5A) -----	1	6.00
5-B-2206	Flinch	High and Intermediate Sliding Gear (21 Teeth) (Model 6, 9, and 29) (Used after Transmission No. A-150) -----	1	6.20
11-B-206	Flinty	High and Intermediate Sliding Gear (Model 8 and 11) -----	1	6.40
5-B-225	Flitch	Reverse Idler Gear (With Bushings) (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	On Application.	
5-B-1208	Floaty	Reverse Idler Gear (With Bushings) (Model 5A, 6, 9, 29, 8 and 11, from Car No. 3601 on Model 5A) -----	1	5.00
5-B-410	Floral	Reverse Idler Gear Bushing (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	1	.79
5-B-1406	Florid	Reverse Idler Gear Bushing (Model 5A, 6, 9, 29, 8 and 11, from Car No. 3601 on Model 5A) -----	1	.79
5-B-315	Floury	Reverse Idler Gear Shaft (Model 4, 5 and 5A, to car No. 3600 on Model 5A) -----	On Application.	
X-6-134	Flower	Cotter Pin 3/16" x 1 3/4" -----	1	.64
5-B-1306	Fluate	Reverse Idler Gear Shaft (Model 5A, 6, 9, 29, 8 and 11, from Car No. 3601 on Model 5A) -----	1	
X-6-144	Fluate	Cotter Pin 1/4" x 2" -----	1	
5-B-215	Fluate	Countershaft Gears (With Bushings) (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	On Application.	
5-B-1205	Fluent	Countershaft Gears (With Bushings) (Model 5A, 6, 9 and 29, from Car No. 3601 on Model 5A) -----	1	17.20
5-B-2205	Fluffy	Countershaft Gears (With Bushings) (Model 6, 9, 29, 8 and 11) (Used after Transmission No. A-150) -----	1	17.90
5-B-405	Flunky	Countershaft Gear Bushing (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	2	On Application.
5-B-1405	Fluter	Countershaft Gear Bushing (Model 5A, 6, 9, 29, 8 and 11, from Car No. 3601 on Model 5A) -----	2	1.15
5-B-310	Flying	Countershaft (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	On Application.	
5-B-1305	Fodder	Countershaft (Model 5A, 6, 9, 29, 8 and 11, from Car No. 3601 on Model 5A) -----	1	1.40
X-6-144		Cotter Pin 1/4" x 2" -----	1	

For illustration of parts described on this page see page 51.




Illustration of parts described on pages 50 and 52.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
Case Cover and Related Parts				
5-B-150	Foeman	Case Cover (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) ----- Hex Cap Screw $\frac{3}{8}$ "-16 x 1 $\frac{1}{4}$ " U. S. S. -----	On Appli- 1 cation.	
X-2-129		Lock Washer $\frac{3}{8}$ " -----	4	
X-9-103	Foible	Case Cover (Model 5A, 6 and 9, from Car No. 3601 on Model 5A) -----	4	
5-B-1006		Case Cover (Model 29) -----	1	3.00
29-B-102	Foiler	Case Cover (Model 8 and 11) -----	1	3.00
11-B-1102	Foldier	Case Cover Gasket (Model 8 and 11) -----	1	3.00
11-B-103	Follow	Hex Cap Screw 5/16"-18 x $\frac{7}{8}$ " U. S. S. -----	1	.06
X-2-122		Lock Washer 5/16" -----	4	
X-9-102		Pipe Plug $\frac{1}{8}$ " (Model 8 and 11) -----	4	
X-28-100		Oil No. 1-C. -----	4	
X-18-271		Low and Reverse Shifting Shaft (Right Shaft) (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	2	
5-B-112	Foment	Low and Reverse Shifting Shaft (Right Shaft) (Model 5A, 6, 9, 29, 8 and 11, from Car No. 3601 on Model 5A) -----	2	
5-B-1508	Fondle	High and Intermediate Shifting Shaft (Left Shaft) (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	1	.80
5-B-111	Fondly	High and Intermediate Shifting Shaft (Left Shaft) (Model 5A, 6, 9, 29, 8 and 11, from Car No. 3601 on Model 5A) -----	1	
5-B-1509	Footed	Shifting Shaft Lug (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	1	.80
X-28-100	Forage	Pipe Plug $\frac{1}{8}$ " -----	2	
5-B-115		Shifting Shaft Lug (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	2	
X-15-144	Forbid	Taper Pin No. 3 x 1 $\frac{1}{4}$ " -----	2	
5-B-125		Gear Shifting Fork (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	2	
5-B-1507	Foreby	Gear Shifting Fork (Model 5A, 6, 9 and 29, from Car No. 3601 on Model 5A) -----	2	
11-B-509	Forego	Gear Shifting Fork (Model 8 and 11) -----	2	
X-15-144		Taper Pin No. 3 x 1 $\frac{1}{4}$ " -----	2	
5-B-120	Forest	Interlocking Plunger (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	2	
X-23-107	Forger	Steel Ball $\frac{1}{2}$ " -----	1	.16
5-B-510		Interlocking Plunger Spring (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	2	
5-B-1505	Forget	Interlocking Plunger Spring (Model 5A, 6, 9, 29, 8 and 11, from Car No. 3601 on Model 5A) -----	2	.05
X-23-106	Forgot	Steel Ball 7/16" -----	2	.07
5-B-515		Interlocking Plunger Plug (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	2	.35

For illustration of parts described on this page see page 51.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
9-B-1510	Formal	Gear Shifting Lever (Without Bail Grip) (Model 5A, 6 and 9, from Car No. 3601 on Model 5A) -----	1	1.42
9-B-576	Former	Gear Shifting Lever (Without Bail Grip) (Model 9 Sedan) -----	1	2.43
9-B-150	Formic	Gear Shifting Lever (Without Bail Grip) (Model 29) -----	1	1.42
9-B-152	Fornix	Gear Shifting Lever (I Beam Shape) (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	1	On Appli- cation.
9-B-152	Forray	Gear Shifting Lever (I Beam Shape) (Model 29) -----	1	1.50
11-B-504	Foster	Gear Shifting Lever (Without Bail Grip) (Model 8 and 11) -----	1	2.15
X-28-119		Dowel Pin 3/16" x 7/16" -----	1	
9-B-155	Fother	Gear Shifting Lever Ball Grip (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	1	.20
X-2-252		Fillister Head Cap Screw $\frac{1}{4}$ "-20 x $\frac{3}{4}$ " U. S. S. -----	1	
9-B-1506	Fought	Gear Shifting Lever Ball Grip (Model 5A, 6, 9 and 29, from Car No. 3601 on Model 5A) -----	1	.25
11-B-1507	Fouilly	Gear Shifting Lever Ball Grip (Model 8 and 11) -----	1	.25
X-2-259		Fillister Head Cap Screw 5/16"----- 18 x 1 $\frac{1}{4}$ " U. S. S. -----	1	
9-B-506	Fourth	Gear Shifting Lever Plug (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	1	.06
9-B-505	Fowler	Gear Shifting Lever Collar (Model 4, 5 and 5A, to Car No. 3600 on Model 5A) -----	1	.15
X-2-356		Hex Cap Screw 5/16" x 1" U. S. F. -----	2	
X-9-102		Lock Washer 5/16" -----	2	
9-B-1605	Fracas	Gear Shifting Lever Collar (Model 5A, 6, 9 and 29, from Car No. 3601 on Model 5A) -----	1	.16
11-B-605	Fragor	Gear Shifting Lever Collar (Model 8 and 11) -----	1	.16
X-2-301		Round Head Cap Screw $\frac{1}{4}$ "-20 x $\frac{1}{2}$ " U. S. S. -----	2	
X-9-101		Lock Washer $\frac{1}{4}$ " -----	2	
Pedals				
9-C-1205	Framer	Clutch and Service Brake Pedal (Model 4, 5, 5A, 6 and 9) -----	1	On Appli- cation.
11-C-203	Franks	Clutch and Service Brake Pedal (Model 8 and 11) -----	1	1.40
9-C-201	Freely	Clutch Pedal (Model 29) -----	1	1.40
9-R-101	French	Service Brake Pedal (Model 29) -----	1	1.40
9-C-1230	Frenzy	Clutch and Service Brake Pedal Adjuster (Model 4, 5, 5A, 6, 9, 8 and 11) -----	1	.50

For illustration of parts described on this page see page 54.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
7-C-230	Fretty	Clutch and Service Brake Pedal Adjuster (Model 29)	1	.50
X-8-129		Hex Cap Screw $\frac{3}{8}$ "—16 x 1 $\frac{1}{4}$ " U. S. S.	2	
X-9-103		Lock Washer $\frac{3}{8}$ "	2	
6-C-1210	Friary	Clutch and Service Brake Pedal Adjuster Key (Model 4, 5, 5A, 6, 9 and 29)	1	.03
X-17-108		Woodruff Key No. 19 (Model 8 and 11)	1	
6-R-1205	Friday	Emergency Brake Pedal (only) (Model 4, 5, 5A, 6 and 9)	1	.95
11-R-204	Friend	Emergency Brake Pedal (only) (Model 8 and 11)	1	1.25
6-R-1206	Fright	(For Emergency Brake Lever for Model 29 see page 56)		
11-R-220	Frigid	Emergency Brake Pedal Pad (Model 4, 5, 5A, 6 and 9)	1	.41
6-R-1207	Fringe	Emergency Brake Pedal Pad (Model 8 and 11)	1	.47
6-R-1208	Fringy	Brake Pedal Pawl (Model 4, 5, 5A, 6, 9, 8 and 11)	1	.38
X-8-103		Brake Pedal Pawl Rivet (Model 4, 5, 5A, 6 and 9)	2	.02
X-10-154		Dowel Pin $\frac{5}{32}$ " x 13/16" (Model 8 and 11)	1	
X-6-111		Clevis Pin $\frac{3}{8}$ " x 1 $\frac{3}{32}$ "	1	
6-R-210	Frisky	Cotter Pin $\frac{3}{32}$ " x $\frac{3}{4}$ "	1	
6-R-1210	Frithy	Emergency Brake Pedal Ratchet (Model 4 and 5, to Car No. 3600 on Model 5)	1	.60
11-R-1207	Froggy	Emergency Brake Pedal Ratchet (Model 5, 5A, 6 and 9, from Car No. 3601 on Model 5)	1	.60
X-8-128		Emergency Brake Pedal Ratchet (Model 8 and 11)	1	.65
X-9-103		Hex Cap Screw $\frac{3}{8}$ "—16 x 1" U. S. S.	2	
		Lock Washer $\frac{3}{8}$ "	2	
Clutch Shifter Yoke				
6-C-235	Frolic	Clutch Shifter Yoke	1	1.25
X-15-146		Taper Pin No. 3 x 1 $\frac{1}{2}$ "	2	
6-C-225	Frosty	Clutch Shifter Yoke Shaft, Right (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	1	.20
6-C-226	Frothy	Clutch Shifter Yoke Shaft, Left (Model 4, 5 and 5A, to Car No. 3600 on Model 5A)	1	.35
6-C-1208	Frouzy	Clutch Shifter Yoke Shaft, Right (Model 5A, 6, 9, 8 and 11, from Car No. 3601 on Model 5A)	1	.35
6-C-1209	Frowzy	Clutch Shifter Yoke Shaft, Left (Model 5A, 6, 9, 8 and 11, from Car No. 3601 on Model 5A)	1	.50
7-C-225	Frozen	Clutch Shifter Yoke Shaft, Right (Model 29)	1	.50




Illustration of parts described on pages 53 and 55.

For illustration of parts described on this page see page 54.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each
7-C-226	Frugal	Clutch Shifter Yoke Shaft, Left (Model 29)	1	.85
X-16-103		Straight Key 3/16" sq. x 13/16"	1	
5-C-1211	Fruity	Clutch Shifter Yoke Shaft Stop (Model 4, 5, 5A, 6, 9, 8 and 11) Illustrated on page 57.	1	.32
7-C-240	Fucate	Clutch Shifter Yoke Shaft Stop (Model 29)	1	.32
X-15-146		Taper Pin No. 3 x 1 1/2"	1	
X-14-117		Set Screw (Cup Point) 5/16" x 1 7/8" (Stop Adjusting Screw)	1	
X-12-102		Hex Nut 5/16"—18 U. S. S. (Adjusting Screw Lock Nut)	1	
Emergency Brake Lever (Model 29)				
29-R-211	Fucoid	Emergency Brake Lever Bracket	1	1.25
X-2-123		Hex Cap Screw 5/16"—18 x 3/4" U. S. S.	3	
X-9-102		Lock Washer 5/16"	3	
29-R-212	Fuddle	Emergency Brake Lever Sector	1	.30
X-2-123		Hex Cap Screw 5/16"—18 x 3/4" U. S. S.	2	
X-9-102		Lock Washer 5/16"	2	
29-R-213	Fulfil	Emergency Brake Lever	1	2.50
29-R-214	Fulgor	Emergency Brake Lever Pin	1	.16
X-15-144		Taper Pin No. 3 x 1 1/4"	1	
X-6-122		Cotter Pin 1/8" x 1"	1	
29-R-217	Fuller	Emergency Brake Lever Pawl	1	.19
29-R-203	Fulvid	Emergency Brake Lever Pawl Pin	1	.05
X-6-110		Cotter Pin 3/32" x 1/8"	1	
29-R-204	Fumage	Emergency Brake Lever Washer	1	.03
29-R-206	Fumant	Emergency Brake Lever Thumb Button	1	.16
29-R-207	Fumble	Emergency Brake Lever Thumb Button Spring (Model 29)	1	.06
29-R-215	Fuming	Emergency Brake Lever Pawl Rod	1	.10
X-6-100		Cotter Pin 1/16" x 1/2"	1	
29-R-218	Fumish	Emergency Brake Lever Pawl Rod Retainer (Model 29)	1	.02

* * * * *

(Parts used to assemble the Transmission to the Motor)

X-2-129	Hex Cap Screw 3/8"—16 x 1 1/4"	8
X-9-103	U. S. S. Lock Washer 3/8"	8




Illustration of parts described on page 58.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
UNIVERSAL JOINT				
(Used on models 4, 5 and 5A to car No. No. 3600 on model 5A)				
5-I-100	Fumous	UNIVERSAL JOINT ASSEMBLY	1	8.95
5-I-101	Funded	Coupling Flange	1	4.98
5-I-115	Fundus	Front Yoke	1	5.83
5-I-105	Funest	Coupling Flange Bolt	6	.21
X-9-101		Lock Washer 1/4"	6	
X-12-101		Hex Nut 1/4"—20 U. S. S.	6	
5-I-121	Fungus	Sliding Yoke Bushing (Small Bushing)	2	.85
5-I-118	Funnel	Flange Yoke Drive Pin Set Screw	1	.25
5-I-122	Furfur	Sliding Yoke Drive Pin (Small Pin)	1	1.00
5-I-125	Fusing	Casing	1	1.15
5-I-127	Fustic	Cover	1	.50
5-I-129	Futile	Casing Cover Clamp	1	1.00
5-I-130	Future	Casing Cover Clamp Screw	1	.07
5-I-128	Fabrile	Packing	1	.20
5-I-119	Faction	Flange Yoke Drive Pin (Large Pin)	1	1.60
5-I-124	Factory	Cross Block	1	3.41
5-I-116	Facture	Flange Yoke Bushing (Large Bushing)	2	.20
5-I-120	Faculty	Rear Yoke	1	4.98
5-I-131	Failing	Rear Yoke Dust Cap	1	.43
5-I-132	Failure	Rear Yoke Dust Cap Felt	1	.13
5-I-133	Faintly	Rear Yoke Dust Cap Felt Retainer	1	.07
5-I-126	Fairway	Grease Plug	1	.11
* * * * *				
5-I-1000	Falcade	UNIVERSAL JOINT ASSEMBLY (Model 5A, 6, 9 and 29, from Car No. 3601)	1	10.10
11-I-100	Falcate	UNIVERSAL JOINT ASSEMBLY (Model 8 and 11)	1	10.10
5-I-1011	Falding	Front Yoke (Model 5A, 6, 9 and 29 from Car No. 3601)	1	2.08
11-I-111	Fallacy	Front Yoke (Model 8 and 11)	1	2.24
11-I-121	Falling	Special Lock Washer (Model 8 and 11)	1	.02
(The following parts are used on Model 5A, 6, 9 and 29, from Car No. 3601, and on Model 8 and 11)				
5-I-1016	Falsely	Housing	1	1.35
5-I-1013	Falsify	Housing Plate, Front	1	.19
5-I-1014	Falsity	Housing Plate, Rear	1	.19
X-33-113		Felt Washer 11/16"	4	.50
5-I-1015	Fanatic	Block	4	.03
5-I-1017	Fanfare	Housing Plate Screw	8	
X-9-101		Lock Washer 1/4"	8	
5-I-1018	Fangled	Housing Plate Nut	8	.01
5-I-1010	Fanlike	Rear Yoke	1	2.20
5-I-1007	Fanning	Rear Yoke Dust Cap	1	.16
5-I-1019	Fantail	Rear Yoke Dust Cap Felt	1	.10
5-I-1006	Fantasm	Rear Yoke Dust Cap Felt Retainer	1	.03
X-28-100		Pipe Plug 1/8" (Grease Plug)	2	
* * * * *				

For illustration of parts described on this page see page 57.


Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
FRONT AXLE				
4-E-100	Fantasy	FRONT AXLE ASSEMBLY (Less wheel Parts) (Model 4)	1	47.40
4-E-110	Faradic	FRONT AXLE ASSEMBLY (Less wheel Parts) (Model 5 and 5A) (Replaces 5-E-100 to Car No. 4664 on Model 5. We will sell parts for the Front Axle 5-E-100, but if the I Beam, or the Complete Axle is required, it will be necessary to order 5-E-110)	1	60.00
4-E-1000	Farming	FRONT AXLE ASSEMBLY (Less wheel Parts) (Model 5A, 6 and 9. From Car No. 4665 on Model 5A)	1	63.20
4-E-1000-RFarmost		FRONT AXLE ASSEMBLY (Less wheel Parts) (Model 29)	1	63.20
11-E-100	Farrago	FRONT AXLE ASSEMBLY (Less wheel Parts) (Model 8 and 11)	1	56.88
4-E-101	Farrier	Front Axle I Beam (Model 4)	1	18.64
4-E-1001	Farther	Front Axle I Beam (With Bushings) (Model 5A, 6, 9, 29, 8 and 11. From Car No. 4665 on Model 5A)	1	20.63
4-E-111	Fascial	Steering Knuckle, Right (With Bushings and Stationary Cone) (Model 4, 5 and 5A. To Car No. 4664 on Model 5A)	1	4.42
4-E-1003	Fascine	Steering Knuckle, Right (With Stationary Cone) (Model 5A, 6, 9 and 29. From Car No. 4665 on Model 5A)	1	4.65
4-E-2003	Fashion	Steering Knuckle, Right (With Stationary Cone) (Used with 5-E-110)	1	5.22
4-E-105	Fasting	Steering Knuckle, Right (With Stationary Cone) (Model 8 and 11)	1	4.05
4-E-112	Fatally	Steering Knuckle, left (With Bushings and Stationary Cone) (Model 4, 5, and 5A. To Car No. 4664 on Model 5A)	1	4.42
4-E-1004	Fateful	Steering Knuckle, Left (With Stationary Cone) (Model 5A, 6, 9 and 29. From Car No. 4665 on Model 5A)	1	4.65
4-E-2004	Fatigue	Steering Knuckle, Left (With Stationary Cone) (Used with 5-E-110)	1	5.22
11-E-106	Fatling	Steering Knuckle, Left (With Stationary Cone) (Model 8 and 11)	1	4.05
X-11-159		Steering Knuckle Nut, Right (Model 4, 5, 5A, 6, 9 and 29)	1	
X-11-159		Steering Knuckle Nut (Model 8 and 11)	2	
4-E-118	Fatuity	Steering Knuckle Nut, Left (Model 4, 5, 5A, 6, 9 and 29)	1	.22
11-E-109	Fatuous	Adjusting Cone Safety Washer (Model 8 and 11)	2	.06
X-6-123		Cotter Pin 1/8"x1 1/4"	2	
X-17-108		Woodruff Key No. 9	2	

For illustration of parts described on this page see page 60.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
8-E-115	Faunist	Steering Knuckle Bushing (Model 4, 5, and 5A. To Car No. 4664 on Model 5A) ---	4	.35
8-E-1002	Favored	King Bolt Bushing (In I Beam) (Model 5A, 6, 9, 29, 8 and 11. From Car No. 4665 on Model 5A) ---	4	.35
8-E-201	Favorer	Steering Knuckle Stationary Cone (Model 4, 5, and 5A. To Car No. 4664 on Model 5A) ---	2	1.26
8-E-1205	Fawning	Steering Knuckle Stationary Cone (Model 5A, 6, 9 and 29. From Car No. 4665 on Model 5A) ---	2	1.77
11-E-201	Fearful	Steering Knuckle Stationary Cone (Model 8 and 11) ---	2	1.36
8-E-202	Feaster	Steering Knuckle Adjusting Cone (Model 4, 5, and 5A. To Car No. 4664 on Model 5A) ---	2	1.10
8-E-1206	Feather	Steering Knuckle Adjusting Cone, Right (Model 5A, 6, 9 and 29. From Car No. 4665 on Model 5A) ---	1	.95
8-E-1207	Feature	Steering Knuckle Adjusting Cone, Left (Model 5A, 6, 9 and 29. From Car No. 4665 on Model 5A) ---	1	.95
11-E-202	Febrile	Steering Knuckle Adjusting Cone (Used with 5-E-110) (Model 5 and 5A) ---	2	1.07
8-E-120	Federal	Steering Knuckle Adjusting Cone (Model 8 and 11) ---	2	.88
8-E-11-157	Feeding	King Bolt (Model 4, 5 and 5A. To Car No. 4664 on Model 5A) ---	2	.79
8-E-123		Hex Castle Nut $\frac{5}{8}$ "-18 S.A.E. ---	2	
8-E-18-100		Gutter Pin $\frac{1}{8}$ "x1 $\frac{1}{4}$ " ---	2	
11-E-108		Grease Cup No. 000 ---	2	
8-E-1007	Feigner	King Bolt (Used with 5-E-110 on Model 5A, 6, 9 and 29. From Car No. 4665 on Model 5A, and on Model 8 and 11) ---	2	.63
8-E-102		King Bolt Lock Pin (Model 5A, 6, 9, 29, 8 and 11) ---	2	.08
11-102		Lock Washer 5/16" ---	2	
18-101		Hex Nut 5/16"-24 S.A.E. ---	2	
8-E-121	Felidae	Grease Cup No. 00 ---	2	.09
8-E-1009	Felony	King Bolt Thrust Washer ---	2	.03
11-E-107	Felsite	King Bolt Washer, Upper (Model 5A, 6, 9 and 29) ---	2	.02
8-E-1008	Felspar	King Bolt Washer, Lower (Model 5A, 6, 9, 29, 8 and 11) ---	2	.03
8-E-1010	Felting	King Bolt Washer, Lower (Model 5A, 6, 9 and 29) ---	2	.03
8-E-125	Felucca	Plain Arm (Model 4, 5, 5A. To Car No. 4664 on Model 5A) ---	1	1.20
8-E-126	Femoral	Steering and Third Arm (With Ball) (Model 4, 5 and 5A. To Car No. 4664 on Model 5A) ---	1	3.25
8-E-11-156	Fencing	Hex Castle Nut 9/16"-18 S.A.E. ---	2	
8-E-1011		Plain Arm (With Bushing) (Model 5A, 6, 9, 8 and 11. From Car No. 4665 on Model 5A) ---	1	1.64




Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
5-E-1012	Fenland	Steering and Third Arm (With Ball and Bushing) (Model 5A, 6, 9, 8 and 11. From Car No. 4665 on 5A) -----	1	3.85
29-E-102	Ferment	Plain Arm (With Bushing) (Model 29) -----	1	1.64
29-E-101	Fernery	Steering and Third Arm (With Ball and Bushing) (Model 29) -----	1	3.85
5-E-1013	Ferrean	Steering Arm Bushing (Model 5A, 6, 9, 29, 8 and 11) -----	2	.22
X-11-159		Hex Castle Nut $\frac{3}{4}$ "-16 -----	2	
X-6-123		Cotter Pin $\frac{1}{8}$ "x1 $\frac{1}{4}$ " -----	2	
4-E-150	Ferrous	Tie Rod (Model 4) -----	1	.79
5-E-150	Ferrule	Tie Rod (Model 5 and 5A. To Car No. 4664 on Model 5A) -----	1	.95
11-E-301	Fertile	Tie Rod (Model 5A, 6, 9, 29, 8 and 11 From Car No. 4665 on Model 5A) -----	1	2.31
5-E-155	Fervent	Tie Rod Adjusting Yoke (Model 4, 5 and 5A. To Car No. 4664 on Model 5A) -----	2	.85
5-E-165	Fervour	Adjusting Yoke Bolt (Model 4, 5 and 5A. To Car No. 4664 on Model 5A) -----	2	.51
X-11-154		Hex Castle Nut 7/16"-20 S.A.E. -----	2	
X-6-111		Cotter Pin 3/32"x $\frac{3}{4}$ " -----	2	
5-E-1306	Festive	Tie Rod Adjusting Yoke (Model 5A, 6, 9 and 29. From Car No. 4665 on Model 5A) -----	2	.82
5-E-1307	Fetlock	Model 8 and 11 -----	1	
		Adjusting Yoke Bolt (Model 5A, 6, 9, 29, 8 and 11. From Car No. 4665 on Model 5A) -----	2	.40
X-11-303		Hex Slotted Nut $\frac{3}{4}$ "-24 S.A.E. -----	2	
X-6-111		Cotter Pin 3/32"x $\frac{3}{4}$ " -----	2	
X-35-101		Clamp Bolt (Hex Head Bolt 5/16"-18x1 $\frac{1}{2}$ " U.S.S.) (Special) -----	2	
		(From Model 4 to 29) -----	2	
X-12-102		Model 8 and 11 -----	1	
		Hex Nut 5/16"-18 U.S.S. (From Model 4 to 29) -----	2	
X-9-102		Model 8 and 11 -----	1	
		Lock Washer 5/16" (From Model 4 to 29) -----	2	
X-18-100		Model 8 and 11 -----	1	
		Grease Cup No. 000 -----	2	

*
*
*
*
*

For illustration of parts described on this page see page 60.



Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
REAR AXLE				
4-F-100	Fetters	Rear Axle and Third Member Complete with Brakes, Less Wheel Parts (Model 4)	1	200.00
5-F-100	Feudary	Real Axle and Third Member Complete with Brakes, Less Wheel Parts (Model 5 and 5A, To Car No. 4777 on Model 5A)	1	220.00
5-F-1000	Feudist	Rear Axle and Third Member Complete with Brakes Less Wheel Parts (Model 5A, 6, and 9, From Car No. 4778 on Model 5A)	1	220.00
5-F-100-C	Fewness	Rear Axle and Third Member Complete With Brakes, Less Wheel Parts (Model 29)	1	220.00
11-F-100	Fibroid	Rear Axle and Third Member Complete With Brakes, Less Wheel Parts (Model 8 and 11)	1	220.00
4-F-200	Fibrous	THIRD MEMBER ASSEMBLY (Includes Bevel Pinion) (Model 4)	1	70.00
5-F-200	Fibular	THIRD MEMBER ASSEMBLY (Includes Bevel Pinion) (Model 5 and 5A, To Car No. 4777 on Model 5A)	1	76.50
5-F-200-A	Fictile	THIRD MEMBER ASSEMBLY (Includes Bevel Pinion) (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A)	1	76.50
11-F-200	Fiction	THIRD MEMBER ASSEMBLY (Includes Bevel Pinion) (Model 8 and 11)	1	76.50

Propeller Shaft Housing

4-F-210-R	Fictive	PROPELLER SHAFT HOUSING ASSEMBLY (Model 4)	1	23.00
5-F-210	Fiddler	PROPELLER SHAFT HOUSING ASSEMBLY (Model 5 and 5A, To Car No. 4777 on Model 5A)	1	24.00
5-F-210-A	Fidgety	PROPELLER SHAFT HOUSING ASSEMBLY (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A)	1	24.00
11-F-210	Fielded	PROPELLER SHAFT HOUSING ASSEMBLY (Model 8 and 11)	1	24.00
5-F-2210	Fieldek	PROPELLER SHAFT HOUSING ASSEMBLY (for 56% Propeller Shaft) (Special) (Model 11)	1	24.00
4-F-211	Fielder	Propeller Shaft Housing Tube (Model 4)	1	7.50
5-F-211	Fifthly	Propeller Shaft Housing Tube (Model 5 and 5A, To Car No. 4777 on Model 5A)	1	8.00
5-F-1211	Fighter	Propeller Shaft Housing Tube (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A)	1	5.55
11-F-211	Figment	Propeller Shaft Housing Tube (Model 8 and 11)	1	5.55
4-F-213	Figural	Propeller Shaft Housing Tube Collar (Model 4)	1	.60

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
6-F-213	Filbert	Propeller Shaft Housing Tube Collar (Model 5, 5A, 6, 9, 29, 8 and 11)	1	.60
8-F-115		Round Head Rivet 1/4"x3/4"	3	
4-F-212	Filemot	Propeller Shaft Housing Flange (Model 4)	1	9.48
6-F-212	Filibeg	Propeller Shaft Housing Flange (Model 5 and 5A, To Car No. 4777 on Model 5A)	1	9.48
6-F-552	Filings	Propeller Shaft Housing Flange (Model 5A, 6, 9, 29, 8 and 11, From Car No. 4778 on Model 5A)	1	9.48
8-F-122		Round Head Rivet 5/16"x3/4"	1	
8-F-145		Hex Cap Screw 1/2"-20x1" (Clamp Screw)	6	
8-F-105		Lock Washer 1/2"	1	
8-F-1105		Hex Nut 1/2"-20	1	
11-F-553	Filling	Propeller Shaft Housing Flange Clamp Bolt Gasket (Model 8 and 11)	1	.05
* * *				
6-F-553	Finable	Propeller Shaft Housing Flange Gasket (Model 6, 9 and 29)	1	.03
4-F-214	Finally	Propeller Shaft Housing Tube Dust Cap (Model 4)	1	1.30
6-F-214	Finance	Propeller Shaft Housing Tube Dust Cap (Model 5, 5A, 6, 9, 29, 8 and 11)	1	.95
8-F-14-152		Headless Set Screw (Cone Point) 1/4"x7/16"	1	
8-F-105		Hex Cap Screw 1/4"-20x1/2" U.S.S. (Model 8 and 11)	1	
8-F-101		Lock Washer 1/4" (Model 8 and 11)	1	

Third Member Yoke

4-F-215	Finding	Third Member Yoke (Model 4)	1	4.75
6-F-215	Finesse	Third Member Yoke (Model 5, 5A, 6, 9, 29, 8 and 11)	1	4.75
6-F-1216	Finical	Third Member Yoke Stud	2	.57
8-F-18-100		Grease Cup No. 000	4	
6-F-218	Finikin	Third Member Yoke Stud Bushing (Model 5A, 6, 9, 29, 8 and 11)	2	.30

Propeller Shaft

4-F-301	Finless	Propeller Shaft (Model 4)	1	10.00
6-F-301	Finlike	Propeller Shaft (Model 5 and 5A To Car No. 4777 on Model 5A)	1	10.00
6-F-1301	Finnish	Propeller Shaft (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A)	1	10.00
11-F-301	Fireman	Propeller Shaft (Model 8 and 11)	1	10.00
6-F-2301	Firugan	Propeller Shaft 56% (Special) (Model 11)	1	10.00
4-F-451	Firstly	Propeller Shaft Steady Bearing (Model 4)	1	2.00
		Felt Washer 5/16"x1 3/16" I.D.x 2 1/16" O.D.	1	

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
6-F-312	Firwood	Propeller Shaft Steady Bearing (Halves not sold separately) (Model 5, 5A, 6, 9, 29, 8 and 11, From Car No. 4778 on Model 5A) ---	1	.95
X-88-101		Felt Washer 1 5/16"x1 3/16" I.D.x2 1/8" O.D. (Model 5, 5A, 6, 9 and 29)	1	
X-88-115	Fiscal	Propeller Shaft Upper Bearing (New Departure No. 305.) (Model 4)	1	5.50
		Felt Washer 1 5/16"x1 1/2" I.D.x2 1/8" O.D.	1	
	Fishify	Propeller Shaft Upper Bearing (Model 5 and 5A, To Car No. 4777 on Model 5A) (New Departure No. 306)	1	6.50
X-88-102		Felt Washer 5/16"x1 5/8" I.D.x2 3/8" O.D.	1	
	Fishing	Propeller Shaft Upper Bearing (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A) (Bock No. 319)	1	6.50
X-88-114		Felt Washer 5/16"x1 5/8" I.D.x2 3/8" O.D.	1	
	Fitaing	Propeller Shaft Upper Bearing (Model 8 and 11) (Timpken No. 319-312)	1	6.50
X-8-165		Plain Washer 1 5/16" I.D.x2 7/32" O.D. (Special) (Propeller Shaft Thrust Bearing Felt Retainer Washer)	1	
X-88-114		Felt Washer 15/16"x1 1/8" I. D. x2 7/8" O.D.	1	
4-F-402	Fitment.	Propeller Shaft Thrust Bearing Washer (Model 4)	1	.15
6-F-402	Fitness	Propeller Shaft Thrust Bearing Washer (Model 5 and 5A, To Car No. 4777 on Model 5A)	1	
X-8-165		Plain Washer 1 5/16" I.D.x2 7/32" O.D. (Special) (Propeller Shaft Thrust Bearing Washer) (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A)	1	.18
6-F-1452	Fitting	Propeller Shaft Thrust Bearing Felt Retainer (Model 5A, 6, 9, 29, 8 and 11)	1	
4-F-403	Fixable	Propeller Shaft Adjusting Sleeve Lock Nut (Model 4)	1	.08
6-F-403	Fixedly	Propeller Shaft Adjusting Sleeve Lock Nut (Model 5 and 5A)	1	.75
X-14-151		Headless Set Screw (Cup Point) 1/4"x3/8"	1	.80
4-F-407	Fixture	Propeller Shaft Adjusting Nut (Model 4)	1	
6-F-407	Flaccid	Propeller Shaft Adjusting Nut (Model 5 and 5A, To Car No. 4777 on Model 5A)	1	.75
6-F-1407	Flaming	Propeller Shaft Adjusting Nut (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A)	1	.90
			1	.47

For illustration of parts described on this page see page 66.




Illustration of parts described on pages 65 and 67.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each
11-P-407	Flanker	Propeller Shaft Adjusting Nut (Model 8 and 11)	1	.47
11-P-408	Flannel	Propeller Shaft Adjusting Nut Lock Ring (Model 4)	1	.15
11-P-408	Flanque	Propeller Shaft Adjusting Nut Lock Ring (Model 5, 5A, 6, 9, 29, 8 and 11)	1	.15
11-P-401	Flapper	Propeller Shaft Thrust Bearing Adjusting Sleeve (Model 4)	1	5.53
11-P-401	Flasket	Propeller Shaft Thrust Bearing Adjusting Sleeve (Model 5 and 5A, To Car No. 4777 on Model 5A)	1	8.00
11-P-1400	Flatten	Propeller Shaft Thrust Bearing Adjusting Sleeve (Includes Bock Bearing Races) (Model 5A, 6, 9, 29, 8 and 11, From Car No. 4778 on Model 5A)	1	8.00
11-P-2400	Flattep	Propeller Shaft Thrust Bearing Adjusting Sleeve (includes Timpken Bearing Races) (Model 5A, 6, 9, 29, 8 and 11 from car No. 4778	1	8.00
11-P-404	Flatter	Propeller Shaft Adjusting Sleeve Lock Plate (Flat) (Model 4, 5 and 5A to car No. 4777)	1	.15
11-P-1404	Flangan	Propeller Shaft Adjusting Sleeve Lock Plate (curved) (model 5A, 6, 9, 29, 8 and 11 from car No. 4778 on Model 5A)	1	.20
11-P-603	Flavous	Propeller Shaft Adjusting Sleeve Lock Plate Felt	1	.03
11-P-106		Hex Cap Screw $\frac{1}{4}$ "-20x $\frac{5}{8}$ " U.S.S. Lock Washer $\frac{1}{4}$ "	2	
11-P-406	Flector	Propeller Shaft Bearing Spacer (Model 4)	2	
11-P-406	Fleetly	Propeller Shaft Bearing Spacer (Model 5 and 5A)	1	1.45
11-P-406	Fleming	Propeller Shaft Lower Bearing (Model 4) (New Departure No. 1405)	1	1.45
11-P-406	Flemish	Propeller Shaft Lower Bearing (Model 5 and 5A, To Car No. 4777 on Model 5A) (New Departure No. 1406)	1	8.00
11-P-406	Fleshed	Propeller Shaft Lower Bearing (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A) (Bock No. 334)	1	9.60
11-P-406	Fleshy	Propeller Shaft Lower Bearing (Model 8 and 11) (Timpken No. 348-3320)	1	7.25
11-P-405	Flexile	Bevel Pinion Washer (Model 4)	1	7.25
11-P-405	Flexion	Bevel Pinion Washer (Model 5, 5A, 6, 9 and 29)	1	.15
11-P-551	Flexure	Bevel Pinion (12 Teeth) (Model 4)	1	.18
11-P-16-110	Flicker	Straight Key $\frac{1}{4}$ " sq.x1"	1	10.00
11-P-551	Flicker	Bevel Pinion (13 Teeth) (Model 5, 5A, 6, 9, 29, 8 and 11)	1	
11-P-1551	Flighty	Bevel Pinion (12 Teeth) (Model 9 and 11 Sedan)	1	5.85
11-P-16-111		Straight Key $\frac{1}{4}$ "x $\frac{3}{8}$ "x1 $\frac{3}{16}$ "	1	5.85
11-P-302	Flinder	Propeller Shaft Nut (Model 4)	1	.15
11-P-302	Flinger	Propeller Shaft Nut (Model 5, 5A, 6, 9, 29, 8 and 11)	1	.18

For illustration of parts described on this page see page 68.




Illustration of parts described on page 69.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each
Rear Axle Housing				
4-F-103	Flipper	REAR AXLE HOUSING ASSEMBLY (Model 4)	1	68.00
5-F-103	Flitter	REAR AXLE HOUSING ASSEMBLY (Model 5 and 5A, To Car No. 4777 on Model 5A)	1	72.00
5-F-1103	Floater	REAR AXLE HOUSING ASSEMBLY (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A)	1	61.00
11-F-104	Florist	REAR AXLE HOUSING ASSEMBLY (Model 8 and 11)	1	61.00
4-F-104	Flotage	Gear Housing Complete (Halves not sold separately) (Model 4)	1	24.00
X-35-101		Hex Cap Bolt 5/16"-18x1 3/4" U.S.S. (Special)	7	
X-9-102		Lock Washer 5/16"	7	
X-12-102		Hex Nut 5/16"-18 U.S.S.	7	
X-31-114		Stud 7/16"-20x1 11/16"	7	
X-9-104		Lock Washer 7/16"	6	
X-11-104		Hex Nut 7/16"-20 S.A.E.	6	
X-28-101		Pipe Plug 1/4" (Drain Plug)	1	
X-28-103		Pipe Plug 1/2" (Filler Plug)	1	
5-F-104	Flotsam	Gear Housing Complete (Halves not sold separately) (Model 5 and 5A, To Car No. 4777 on Model 5A)	1	26.00
5-F-1104	Flotson	Gear Housing Complete (Halves not sold separately) (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A)	1	22.00
X-3-132		Hex. Cap Screw 3/4"-24x1 3/4" S.A.E.	7	
X-9-103		Lock Washer 3/4"	7	
X-11-103		Hex Nut 3/4"-24 S.A.E.	7	
X-28-101		Pipe Plug 1/4"	7	
X-28-103		Pipe Plug 1/2"	1	
X-31-105		Stud 1/2"-20x1 3/4" (Propeller Shaft Housing Flange Stud)	1	
X-9-105		Lock Washer 1/2"	6	
X-11-105		Hex Nut 1/2"-20 S.A.E.	6	
X-18-100		Grease Cup No. 000	6	
11-F-105	Flounce	Gear Housing Complete (Halves not sold separately) (Model 8 and 11) S.A.E.	2	22.00
X-3-129		Hex Cap Screw 3/4"-24x1 3/4" S.A.E.	1	
X-9-103		Lock Washer 3/4"	7	
X-11-103		Hex Nut 3/4"-24 S.A.E.	7	
X-28-103		Pipe Plug 1/2" (Drain Plug)	7	
11-F-103	Flouter	Gear Housing Filler Plug 1" (Model 8 and 11)	1	
X-31-111		Stud 1/2"-20-13x1 3/4"	1	.10
X-7-122		Round Head Rivet 5/16"x7/8"	6	
X-18-100		Grease Cup No. 000	12	
X-9-105		Lock Washer 1/2"	2	
X-11-105		Hex Nut 1/2"-20 S.A.E.	6	
5-F-630	Flowery	Gear Housing Sight Hole Cover (Model 4, 5 and 5A)	6	
5-F-631	Flowing	Gear Housing Sight Hole Cover Felt Gasket (Model 4, 5 and 5A)	1	.12
			1	.05

For illustration of parts described on this page see page 71.




Illustration of parts described on pages 70 and 72.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
X-2-105		Hex Cap Screw $\frac{1}{4}$ "-20x $\frac{1}{2}$ " U.S.S.	2	
X-9-101		Lock Washer $\frac{1}{4}$ "	2	
4-F-105		Main Tube (Model 4)	2	5.00
X-7-115		Round Head Rivet $\frac{1}{4}$ "x $\frac{3}{4}$ "	24	
5-F-105		Main Tube (Model 5 and 5A, To Car No. 4777 on Model 5A)	2	5.95
9-F-110		Main Tube (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A)	2	5.95
11-F-110		Main Tube (Model 8 and 11)	2	5.95
X-7-122		Round Head Rivet 5/16"x $\frac{7}{8}$ "	24	
4-F-106		Spring Seat (Model 4)	2	2.35
9-F-111		Spring Seat (One Piece) (Model 5, 5A, 6, 9 and 29)	2	2.45
11-F-111		Spring Seat (One Piece) (Model 8 and 11)	2	2.35
5-F-1106		Rear Axle Spring Seat (Two piece) (Model 5 and 5A)	2	3.00
9-F-156		Rear Axle Spring Seat (Two piece) (Model 6, 9, 29, 8 and 11)	2	3.00
5-F-107		Rear Axle Spring Seat Shim, Front (Model 5 and 5A)	4	.12
5-F-108		Rear Axle Spring Seat Shim, Rear (Model 5 and 5A)	4	.12
9-F-157		Rear Axle Spring Seat Shim, Front (Model 6, 9, 29, 8 and 11)	4	.12
9-F-158		Rear Axle Spring Seat Shim, Rear (Model 6, 9, 29, 8 and 11)	4	.12
X-42-161		Square Head Bolt and Nut $\frac{3}{8}$ "-16x2 $\frac{1}{2}$ " U.S.S.	6	
X-9-103		Lock Washer $\frac{3}{8}$ "	6	
4-F-111		Spring Seat Anchor (Model 4)	2	.05
5-F-111		Spring Seat Anchor (Model 5, 5A, 6, 9, 29, 8 and 11)	2	.05
X-7-116		Round Head Rivet $\frac{1}{4}$ "x $\frac{5}{8}$ "	2	
X-18-100		Grease Cup No. 000	2	
4-F-115		Brake Flange, Right (Model 4)	1	7.00
4-F-116		Brake Flange, Left (Model 4)	1	7.00
X-18-101		Grease Cup No. 00	2	
5-F-115		Brake Flange, Right (Model 5, 5A, 6, 9 and 29)	1	5.40
5-F-116		Brake Flange, Left (Model 5, 5A, 6, 9 and 29)	1	5.40
11-F-115		Brake Flange, Right (Model 8 and 11)	1	3.80
11-F-116		Brake Flange, Left (Model 8 and 11)	1	3.80
11-F-120		Brake Flange Disk (Model 8 and 11)	2	1.50
X-7-116		Round Head Rivet $\frac{1}{4}$ "x $\frac{5}{8}$ "	12	
5-F-1601		Hub Bearing Spacer (Model 5, 5A, 6, 9, 29, 8 and 11)	2	.35
5-F-411		Hub Bearing Inner Race (Model 5, 5A, 6, 9, 29, 8 and 11)	2	2.70
		(For Hub Bearing See "Wheels")		
		* * * * *		
4-F-635		Truss Rod (Model 4)	1	.90
X-9-104		Lock Washer 7/16"	2	
X-11-104		Hex Nut 7/16"-20 S.A.E.	2	

For illustration of parts described on this page see page 71.




Illustration of parts described on page 74.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each
5-F-635	Footring	Truss Rod (Model 5, 5A, 6, 9, 29, 8 and 11)	1	.65
X-9-105		Lock Washer 1/2"	2	
X-11-105		Hex Nut 1/2"-20 S.A.E.	2	
Differential				
4-F-500	Footman	DIFFERENTIAL ASSEMBLY (Model 4)	1	56.85
5-F-500	Footway	DIFFERENTIAL ASSEMBLY (Model 5, 5A, 6, 9, 29, 8 and 11)	1	53.20
4-F-555	Fopling	Differential Case (With Bearing Inner Race) (Model 4)	1	22.00
5-F-555	Foppery	Differential Case (With Bearing Inner Race) (Model 5, 5A, 6, 9, 29, 8 and 11)	1	20.00
4-F-550	Foppish	Bevel Ring (51 Teeth) (Model 4)	1	14.25
5-F-550	Forager	Bevel Ring (53 Teeth) (Model 5, 5A, 6, 9, 29, 8 and 11)	1	14.25
5-F-1550	Forbade	Bevel Ring (53 Teeth) (Model 9 and 11 Sedan)	1	14.25
X-7-123		Round Head Rivet 5/16"x1" (Model 4)	8	3.35
4-F-561	Forbear	Model 5, 5A, 6, 9, 29, 8 and 11	12	3.00
5-F-561	Forbore	Intermediate Pinion (Model 4)	2	2.80
4-F-562	Forceps	Intermediate Pinion (Model 5, 5A, 6, 9, 29, 8 and 11)	2	2.00
5-F-562	Forcing	Intermediate Pinion Pin (Model 4)	1	.95
X-36-101	Forearm	Intermediate Pinion Pin (Model 5, 5A, 6, 9, 29, 8 and 11)	1	.80
4-F-563	Forebay	Dowel Pin 3/16"x2 1/2"	2	.80
5-F-563		Intermediate Pinion Spacer (Model 4)	2	7.50
5-F-1563	Forehew	Intermediate Pinion Spacer (Model 5 and 5A)	2	6.00
4-F-560	Foreign	Intermediate Pinion Spacer (Model 6, 9, 29, 8 and 11)	2	
5-F-560	Forelay	Main Shaft Gear (Model 4)	1	
5-F-1560	Foreman	Main Shaft Gear (Model 5 and 5A)	2	
		Main Shaft Gear (Model 6, 9, 29, 8 and 11)	2	
* * * * *				
4-F-422	Foreran	Differential Bearing (Roller Bushing only) (Model 4)	2	3.90
5-F-422	Forerun	Differential Bearing (Roller Bushing only) (Model 5, 5A, 6, 9, 29, 8 and 11)	2	3.45
4-F-423	Foretop	Differential Bearing Outer Race (Model 4)	2	1.15
5-F-423	Forever	Differential Bearing Outer Race (Model 5, 5A, 6, 9, 29, 8 and 11)	2	.95
4-F-430	Forfeit	Differential Thrust Bearing Complete (Includes one ball retainer with Balls and two Thrust Washers) (Model 4)	2	3.15

For illustrations of parts described on this page see page 73.




Illustration of parts described on page 76.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used.	Price Each.
5-F-430	Forefend	Differential Thrust Bearing Complete (Includes one ball Retainer with Balls and two Thrust Washers) (Model 5, 5A, 6, 9 and 29)	2	2.70
11-F-430	Forgave	Differential Thrust Bearing Complete (Includes one Ball Retainer with Balls and two Thrust Washers) (Model 8 and 11)	2	2.70
4-F-431	Forgery	Differential Thrust Bearing Ball Re- tainer with Balls (Model 4)	2	.80
5-F-436	Forging	Differential Thrust Bearing Ball Re- tainer with Balls (Model 5, 5A, 6, 9 and 29)	2	.80
11-F-431	Forgive	Differential Thrust Bearing Ball Re- tainer with Balls (Model 8 and 11)	2	1.05
4-F-432	Forlorn	Thrust Bearing Washer (Model 4)	4	1.05
5-F-432	Formate	Thrust Bearing Washer (Model 5, 5A, 6, 9 and 29)	4	1.05
11-F-432	Formful	Thrust Bearing Washer (Model 8 and 11)	4	1.05
4-F-433	Formula	Thrust Bearing Retainer Ring (Model 4)	2	.15
5-F-433	Forsake	Thrust Bearing Retainer Ring (Model 5 and 5A, To Car No. 4777 on Model 5A)	2	.15
4-F-435	Fortify	Thrust Bearing Adjusting Sleeve (Mod- el 4)	2	1.70
5-F-435	Fortlet	Thrust Bearing Adjusting Sleeve (Mod- el 5 and 5A, To Car No. 4777 on Model 5A)	2	2.40
11-F-435	Fortune	Thrust Bearing Adjusting Sleeve (Mod- el 8 and 11)	2	1.70
5-F-1435	Forward	Thrust Bearing Shim (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A)	2	.07
5-F-604	Foulard	Adjusting Sleeve Lock Plate (Model 4, 5 and 5A)	2	.18
11-F-436	Founder	Adjusting Sleeve Lock Plate (Model 8 and 11)	2	.15
5-F-603	Flavous	Adjusting Sleeve Plate Felt (Model 4, 5, 5A, 8 and 11)	2	.03
X-2-106		Hex Cap Screw 1/4"-20x3/4" U.S.S.	2	
X-9-101		Lock Washer 1/4"	4	
Main Shaft				
4-F-310	Fovilla	Main Shaft (Model 4)	2	5.00
5-F-1310	Fowling	Main Shaft (Model 5, 5A, 6, 9, 29, 8 and 11)	2	5.00
X-33-109		Felt Washer 3/8"x1" I.D.x1 1/4" O. D. (Main Shaft Felt Washer, In- ner) (Model 4)	4	
X-33-104		Felt Washer 3/8"x1 1/4" I.D.x2 1/16" O. D. (Main Shaft Felt Wash- er, Inner) (Model 5, 5A, 6, 9, 29, 8 and 11)	4	

For illustrations of parts described on this page see page 75.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used.	Price Each.
4-F-602	Foxtail	Main Shaft Inner Felt Retainer (Mod- el 4)	4	.06
6-F-602	Foxwood	Main Shaft Inner Felt Retainer (Model 5, 5A, 6, 9, 29, 8 and 11)	4	.05
4-F-226	Framing	Main Shaft Outer Bearing (Roller Bushing only) (Model 4)	2	4.50
4-F-227	Frankly	Main Shaft Outer Bearing Outer Race (Model 4)	2	1.50
X-33-109		Felt Washer 3/8"x1" I.D.x1 3/4" O.D. (Main Shaft Outer Bearing Inner Felt Washer) (Model 4)	2	
X-33-108		Felt Washer 5/16"x1" I.D.x1 15/16" O.D. (Main Shaft Outer Bearing Outer Felt Washer) (Model 4)	2	
4-F-611	Frantic	Outer Bearing Felt Retaining Washer, Small (Model 4)	2	.10
4-F-612	Fraught	Outer Bearing Felt Retaining Washer, Large (Model 4)	2	.10
4-F-614	Fraying	Outer Bearing Felt Retaining Cap (Model 4)	2	.79
4-F-311	Freckle	Main Shaft Inner Nut (Model 4)	2	.44
X-6-123		Cotter Pin 1/8"x1 1/4"	2	
5-F-311	Freckly	Main Shaft Inner Nut (Model 5, 5A, 6, 9, 29, 8 and 11)	2	.44
X-6-125		Cotter Pin 1/8"x1 3/8"	2	
X-16-112		Straight Key 1/4"x3/8"x2 1/2"	2	
X-11-159		Hex Castle Nut 3/4"-16 S.A.E.	2	
X-8-156		(Main Shaft Outer Nut) (Mod- el 8 and 11)	2	
X-6-123		Plain Washer 3/4" (Special) (Mod- el 8 and 11)	2	
		Cotter Pin 1/8"x1 1/4"	2	

Internal Brake Shaft and Con- nections

4-F-825	Freight	Internal Brake Shaft, Right (With Cam) (Model 4)	1	1.90
4-F-826	Fretful	Internal Brake Shaft, Left (With Cam) (Model 4)	1	1.90
5-F-825	Fretter	Internal Brake Shaft, Right (With Cam) (Model 5, 5A, 6 and 9)	1	1.20
5-F-826	Friable	Internal Brake Shaft, Left (With Cam) (Model 5, 5A, 6 and 9)	1	1.20
9-F-701	Fribble	Internal Brake Shaft, Right (With Cam) (New Style) (Model 6 and 9)	1	1.20
9-F-702	Frigate	Internal Brake Shaft, Left (With Cam) (New Style) (Model 6 and 9)	1	1.20
29-F-301	Fripper	Internal Brake Shaft, Right (With Cam) (Model 29)	1	1.20
29-F-302	Frisker	Internal Brake Shaft, Left (With Cam) (Model 29)	1	1.20
11-F-701	Frisket	Internal Brake Shaft, Right (With Cam) (Model 8 and 11)	1	1.20

For illustration of parts described on this page see page 78.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
11-F-702	Fritter	Internal Brake Shaft, Left (With Cam) (Model 8 and 11) -----	1	1.20
4-F-830	Frizzle	Brake-Shaft Cam (Model 4) -----	2	.65
X-15-123		Taper Pin No. 1x1" -----	2	
X-19-123		Clevis Pin .308x1" -----	2	
X-6-111		Cotter Pin 3/32"x3/4" -----	2	
X-17-108		Woodruff Key No. 9 -----	2	
6-F-830	Frogbit	Brake Shaft Cam (Model 5, 5A, 6, 9, 29, 8 and 11) -----	2	.50
X-15-125		Taper Pin No. 1x1 1/4" -----	2	
X-19-131		Clevis Pin .37x1 1/4" -----	2	
X-6-111		Cotter Pin 3/32"x3/4" -----	2	
X-17-108		Woodruff Key No. 9 -----	2	
4-F-730	Frontal	Internal Brake Shaft Lever (Model 4) (This lever is also used on the External Brake Shaft) -----	2	
6-F-730	Fronted	Internal Brake Shaft Lever (Model 5, 5A, 6, 9 and 29) -----	2	.40
		(This lever is also used on the External Brake Shaft) -----		
11-F-730	Frosted	Internal Brake Shaft Lever (Model 8 and 11) (This lever is also used on External Brake Shaft) -----	2	.40
X-3-118		Hex Cap Screw 5/16"x24x1 1/4" S.A.E. -----	2	
X-9-102		Lock Washer 5/16" -----	2	
X-11-102		Hex Nut 5/16-24 S.A.E. -----	2	
X-17-108		Woodruff Key No. 9 -----	2	
X-18-100		Grease Cup No. 000 -----	2	.10
4-F-835	Frounce	Brake Shaft Collar (Model 4) -----	2	
6-F-835	Froward	Brake Shaft Collar (Model 5, 5A, 6, 9, 29) -----	2	.10
6-F-1836	Frustum	Brake Shaft Collar (Model 8 and 11) -----	2	
X-3-117		Hex Cap Screw 5/16"x24x1" S.A.E. -----	2	.10
X-9-102		Lock Washer 5/16" -----	2	.10
X-11-102		Hex Nut 5/16-24 S.A.E. -----	2	.10
4-F-820	Fucated	Brake Operating Link (Model 4) -----	2	.60
X-19-120		Clevis Pin .308x1 1/16" -----	2	
6-F-820	Fuchsia	Brake Operating Link (Model 5, 5A, 6, 9 and 29) -----	2	.60
11-F-820	Fueller	Brake Operating Link (Model 8 and 11) -----	2	.60
X-19-106		Clevis Pin .373x1 1/8" -----	2	
X-8-103		Plain Washer 3/4" -----	2	.60
X-6-111		Cotter Pin 3/32"x3/4" -----	4	
4-F-815	Fugeful	Toggle Link (Model 4) -----	4	.10
X-19-121		Clevis Pin .312x1 1/8" -----	4	
X-8-102		Plain Washer 5/16" -----	4	
6-F-815	Fulcrum	Toggle Link (Model 5, 5A, 6, 9, 29, 8 and 11) -----	4	.10
X-19-131		Clevis Pin .37x1 1/4" -----	4	
X-6-111		Cotter Pin 3/32"x3/4" -----	4	
X-8-103		Plain Washer 3/4" -----	4	
4-F-824	Fulgent	Internal Brake Release Spring (Model 4) -----	2	.10
6-F-1824	Fullage	Brake Release Spring (Model 5, 5A, 6, 9, 29, 8 and 11) -----	2	.10

For illustration of parts described on this page see page 78.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
External Brake Shaft and Connections				
4-F-725		Fullery	1	.95
4-F-726		Fulmine	1	.95
5-F-725		Fulness	1	.65
5-F-726		Fulsome	1	.65
9-F-801		Fulvous	1	.65
9-F-802		Fumblor	1	.65
29-F-303		Funeral	1	.65
29-F-304		Fungoid	1	.65
11-F-717		Fungous	1	.55
11-F-718		Funicle	1	.55
4-F-730		Frontal	4	.40
5-F-730		Fronted	4	.40
11-F-730		Frosted	4	.40
X-3-118		Hex Cap Screw 5/16"-24x1 1/4" S.A.E.	4	.40
X-9-102		Lock Washer 5/16"	4	
X-11-102		Hex Nut 5/16"-24 S.A.E.	4	
X-17-108		Woodruff Key No. 9	4	
X-18-100		Grease Cup No. 000	2	.10
5-F-835		External Brake Shaft Collar (Model 8 and 11)	2	.47
5-F-721		Brake Operating Lever Connecting Link (Model 4, 5, 5A, 6, 9 and 29)	2	
X-19-120		Clevis Pin .308x1 1/16"	4	
X-6-111		Cotter Pin 3/32"x 3/4"	4	
11-F-721		Brake Operating Connecting Link (Model 8 and 11)	2	.47
X-19-120		Clevis Pin .308x1 1/16"	4	
X-6-111		Cotter Pin 3/32"x 3/4"	4	
5-F-720		Brake Operating Lever (Model 4 and 5)	2	.56
5-F-1720		Brake Operating Lever, Right (Model 5A, 6, 9 and 29)	1	.56
X-19-120		Clevis Pin .308x1 1/16"	2	
X-6-111		Cotter Pin 3/32"x 3/4"	2	
11-F-719		Brake Operating Lever, Right (Model 8 and 11)	1	.47
11-F-720		Brake Operating Lever, Left (Model 8 and 11)	1	.47
X-19-130		Clevis Pin .37x2"	1	
X-8-103		Plain Washer 3/8"	2	
X-6-111		Cotter Pin 3/32"x 3/4"	2	
5-F-1715		Brake Band Clevis (Model 4, 5, 5A, 6, 9 and 29)	2	.79
X-19-119		Clevis Pin .308x15/16"	2	
X-6-111		Cotter Pin 3/32"x 3/4"	2	
X-11-202		Jamb Nut 5/16"-24 S.A.E.	2	

For illustration of parts described on this page see page 78.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
X-11-102		Hex Nut 5/16"-24 S.A.E.	2	
X-8-158		Plain Washer 5/16" (Special)	8	
11-F-715		Brake Band Clevis (Model 8 and 11)	2	.70
X-11-205		Jamb Nut 1/2"-20 S.A.E.	4	
11-F-713		Brake Band Adjusting Wing Nut (Model 8 and 11)	2	.16
9-F-716		Brake Band Clevis Spring	2	.05
X-8-105		Plain Washer 1/2"	4	
9-F-620		Brake Band Clevis Guide (Model 4)	2	.47
X-11-304		Hex Slotted Nut 7/16"-20 S.A.E.	2	
X-6-113		Cotter Pin 3/32"x 1"	2	
9-F-1620		Brake Band Clevis Guide (Model 5, 5A, 6, 9 and 29)	2	.47
X-11-305		Hex Slotted Nut 1/2"-20 S.A.E.	2	
X-6-113		Cotter Pin 3/32"x 1"	2	
11-F-712		Brake Band Clevis Guide (Model 8 and 11)	2	
X-8-105		Lock Washer 1/2"	2	.35
X-11-105		Hex Nut 1/2"-20 S.A.E.	2	
Internal Brake Band and Connections				
4-F-800		INTERNAL BRAKE BAND ASSEMBLY (Model 4)	2	5.53
9-F-800		INTERNAL BRAKE BAND ASSEMBLY (Model 5, 5A, 6, 9 and 29)	2	3.63
11-F-800		INTERNAL BRAKE BAND ASSEMBLY (Model 8 and 11)	2	3.50
4-F-810		Brake Band Lining (Model 4)	2	1.25
9-F-810		Brake Band Lining (Model 5, 5A, 6, 9 and 29)	2	1.25
11-F-810		Brake Band Lining (Model 8 and 11)	2	1.40
9-F-811		Brake Band Lining Tubular Rivet (Model 4)	16	
X-7-307		Copper Rivet No. 8x7/8"	18	
9-F-805		Brake Band Locating Pin (Model 4, 5, 5A, 6, 9, and 29)	8	.10
4-F-802		Brake Band Lug (Model 4)	4	.72
X-7-112		Round Head Rivet 3/16"x 3/8"	4	
X-7-113		Round Head Rivet 3/16"x 1/2"	4	
9-F-802		Brake Band Lug (Model 5, 5A, 6, 9 and 29)	4	.60
11-F-802		Brake Band Lug (Model 8 and 11)	4	.60
X-7-119		Round Head Rivet 1/4"x 3/8"	8	
X-7-116		Round Head Rivet 1/4"x 1/2"	4	
X-7-307		Copper Rivet No. 8x7/8"	8	
* * * * *				
9-F-1625		Brake Band Stop Pin (Model 4)	2	.57
X-8-105		Lock Washer 1/2"	2	
X-11-105		Hex Nut 1/2"-20 S.A.E.	2	
9-F-1625		Brake Band Stop Pin (Model 5, 5A, 6, 9 and 29)	2	
X-11-107		Hex Nut 5/8"-18 S.A.E.	2	.57

For illustration of parts described on this page see page 82.

Part No.	Code.	Name.	No. Used	Price Each.
X-9-107		Lock Washer $\frac{5}{8}$ "	2	
11-F-625	Familist	Brake Band Stop Pin (With Clip) (Model 8 and 11)	2	.40
X-9-105		Lock Washer $\frac{1}{2}$ "	2	
X-11-105		Hex Nut $\frac{1}{2}$ "-20 S.A.E.	2	
External Brake Band and Connections				
4-F-700	Fanciful	EXTERNAL BRAKE BAND ASSEMBLY, Right (Model 4)	1	5.00
4-F-705	Fanfaron	EXTERNAL BRAKE BAND ASSEMBLY, Left (Model 4)	1	5.00
6-F-700	Fangless	EXTERNAL BRAKE BAND ASSEMBLY, Right (Model 5, 5A, 6, 9, and 29)	1	4.67
6-F-708	Fanlight	EXTERNAL BRAKE BAND ASSEMBLY, Left (Model 5, 5A, 6, 9, and 29)	1	4.67
11-F-727	Fantasia	EXTERNAL BRAKE BAND ASSEMBLY, Right (Model 8 and 11)	1	4.67
11-F-728	Farcical	EXTERNAL BRAKE BAND ASSEMBLY, Left (Model 8 and 11)	1	4.67
4-F-710	Farewell	Brake Band Lining (Model 4)	2	1.25
6-F-710	Farfamed	Brake Band Lining (Model 5, 5A, 6, 9 and 29)	2	1.55
11-F-706	Farinose	Brake Band Lining (Model 8 and 11)	2	1.55
6-F-711	Farmable	Brake Band Lining Tubular Rivet Model 4	8	
		Model 5, 5A, 6, 9, and 29	12	
6-F-702	Farmyard	Brake Band Lug, Upper (Model 4, 5, 5A, 6, 9, and 29)	20	
11-F-708	Farriery	Brake Band Lug, Upper (Model 8 and 11)	2	.40
X-7-112		Round Head Rivet $\frac{3}{16}$ "x $\frac{3}{8}$ "	2	.20
X-7-110		Round Head Rivet $\frac{3}{16}$ "x $\frac{1}{4}$ "	4	
X-7-304		Copper Rivet No. 8x9/16"	2	
6-F-703	Farthest	Brake Band Lug, Lower (Model 4, 5, 5A, 6, 9 and 29)	4	
X-7-119		Round Head Rivet $\frac{1}{4}$ "x $\frac{3}{8}$ "	2	.32
X-7-305		Countersunk Head Copper Rivet No. 8x $\frac{5}{8}$ "	4	
11-F-709	Farthing	Brake Band Lug, Lower (Model 8 and 11)	8	
X-7-109		Round Head Rivet $\frac{3}{16}$ "x $\frac{7}{8}$ "	2	.32
X-7-305		Copper Rivet No. 8x $\frac{5}{8}$ "	6	
6-F-1732	Fascicle	Countersunk Head Iron Rivet $\frac{7}{32}$ "x $\frac{1}{2}$ " (Model 4, 5, 5A, 6, 9 and 29)	4	
6-F-705	Fastener	Brake Band Support Spring (Old Style) (Model 4, 5 and 5A)	4	.18
X-7-305		Countersunk Copper Rivet No. 8x $\frac{5}{8}$ "	4	
6-F-706	Fastness	Brake Band Support Spring (New Style) Model 5, 5A, 6, 9 and 29)	8	.18
6-F-707	Fatalism	Brake Band Support Spring Clip (Model 5, 5A, 6, 9 and 29)	4	.06

For illustration of parts described on this page see page 82.




Illustration of parts described on pages 81 and 83.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
X-7-305		Countersunk Copper Rivet No. 8	16	
11-F-123	Fatalist	Brake Band Support Spring (Model 8 and 11)	8	.08
X-7-112	Fatality	Round Head Rivet 3/16"x 1/2"	16	
11-F-707		Brake Band Support Spring Clip (Model 8 and 11)	8	.10
X-7-110		Round Head Rivet 3/16"x 1/2"	2	.65
4-F-704	Fatherly	Brake Band Saddle (Model 4)	8	
X-7-112		Round Head Rivet 3/16"x 1/2"	8	
X-7-305		Countersunk Copper Rivet No. 8	4	.70
6-F-704	Fathomer	Brake Band Saddle (Model 5, 5A, 6, 9 and 29)	2	.70
X-7-119	Fattener	Round Head Rivet 1/4"x 1/2"	8	
11-F-704		Brake Band Saddle (Model 8 and 11)	2	.70
X-7-117		Round Head Rivet 1/4"x 7/16"	8	
* * * * *				
4-F-610	Faultily	Brake Band Saddle Anchor Pin (Model 4)	2	.56
X-9-105		Lock Washer 1/2"	2	
X-11-105		Hex Nut 1/2"-20 S.A.E.	2	
6-F-610	Fautress	Brake Band Saddle Anchor Pin (Model 5 and 5A, To Car No. 4777 on Model 5A)	2	.56
6-F-1731	Favonian	Brake Band Saddle Anchor Pin (Model 5A, 6, 9 and 29, From Car No. 4778 on Model 5A)	2	.56
X-9-107		Lock Washer 5/8"	2	
X-11-107		Hex Nut 5/8"-18 S.A.E.	2	
11-F-710	Favorite	Brake Band Saddle Anchor Pin (Model 8 and 11)	2	.40
X-6-131	Feaberry	Cotter Pin 3/16"x 1 1/4"	2	
6-F-611		Brake Band Saddle Spring (Model 4, 5, 5A, 6, 9 and 29)	2	.04
11-F-711	Fearless	Brake Band Saddle Spring (Model 8 and 11)	2	.04
X-35-112		Brake Band Support Bolt 3/8"-24x2 1/2 S.A.E. (Model 4)	4	
X-35-103		Brake Band Support Bolt 3/8"-24x3 1/4" (Model 5 and 5A)	4	
X-11-103		Hex Nut 3/8"-24 S.A.E.	4	
X-9-103		Lock Washer 3/8"	4	
X-11-203		Jamb Nut 3/8"-24 S.A.E.	4	
6-F-615	Feasible	Brake Band Support Stud (Model 5A, 6, 9 and 29)	4	.30
X-9-105		Lock Washer 1/2"	4	
X-11-105		Hex Nut 1/2"-20 S.A.E.	4	

For illustration of parts described on this page see page 84.




Illustration of parts described on page 85.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
FRAME				
4-D-100	Feasibly	FRAME ASSEMBLY (Complete with all Riveted Parts) (Model 4)	1	32.00
5-D-100	Feastful	FRAME ASSEMBLY (Complete with all Riveted Parts) (Model 5, From Car No. 1001 to 2724)	1	35.75
5-D-1000	Feasting	FRAME ASSEMBLY (Complete with all Riveted Parts) (Model 5A, 6, 9, From Car No. 2725 to 11214)	1	50.00
9-D-100	Feathery	FRAME ASSEMBLY (Complete with all Riveted Parts) (Model 6 and 9, From Car No. 11215)	1	50.00
29-D-100	Featness	FRAME ASSEMBLY (Complete with all Riveted Parts) (Model 29)	1	50.00
11-D-1000	Featured	FRAME ASSEMBLY (Complete with all Riveted Parts) (Model 8 and 11)	1	50.00
4-D-102	February	Side Member, Right (Model 4)	1	10.43
4-D-103	Fekless	Side Member, Left (Model 4)	1	10.43
5-D-102	Feculent	Side Member, Right (Model 5, From Car No. 1,001 to 2724)	1	13.45
5-D-103	Federate	Side Member, Left (Model 5, From Car No. 1,001 to 2724)	1	13.45
5-D-1102	Feetless	Side Member, Right (Model 5A, 6 and 9, From Car No. 2725 to 10789)	1	13.45
5-D-1103	Feigning	Side Member, Left (Model 5A, 6 and 9, From Car No. 2725 to 10789)	1	13.45
9-D-102	Feldspar	Side Member, Right (Model 6 and 9, From Car No. 10790)	1	15.70
9-D-103	Felicity	Side Member, Left (Model 6 and 9, From Car No. 10790)	1	15.70
29-D-102	Fellness	Side Member, Right (Model 29)	1	15.70
29-D-103	Felodese	Side Member, Left (Model 29)	1	15.70
11-D-1007	Femalize	Side Member, Right (Model 8 and 11)	1	15.70
11-D-1008	Feminine	Side Member, Left (Model 8 and 11)	1	15.70
4-D-104	Feminity	Front Cross Member (Model 4)	1	3.40
5-D-104	Feminize	Front Cross Member (Model 5)	1	4.35
5-D-1104	Fenceful	Front Cross Member (Model 5A, 6, 9 and 29)	1	7.85
11-D-1009	Fencible	Front Cross Member (Model 8 and 11)	1	7.85
4-D-105	Feracity	Center Cross Member (Model 4)	1	4.00
5-D-105	Ferocity	Center Cross Member (Model 5)	1	4.00
5-D-1105	Ferreter	Center Cross Member (Model 5A, 6, 9 and 29, From Car No. 2725 to 10789)	1	4.00
9-D-107	Ferriage	Center Cross Member (Model 6, 9 and 29, From Car No. 10790)	1	4.00
11-D-1010	Ferryman	Center Cross Member (Model 8 and 11)	1	4.00
4-D-106	Fervency	Rear Cross Member (Model 4)	1	3.70
5-D-106	Festival	Rear Cross Member (Model 5)	1	3.70
5-D-1106	Feverfew	Rear Cross Member (Model 5A, 6, 9 and 29)	1	3.70
11-D-1011	Feverish	Rear Cross Member (Model 8 and 11)	1	3.70
5-D-111	Feverous	Front Spring Horn, Right (Model 4 and 5)	1	.90
5-D-112	Fidelity	Front Spring Horn, Left (Model 4 and 5)	1	.90

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
9-D-105	Fiducial	Front Spring Horn, Right (Model 6, 9 and 29)	1	.90
9-D-106	Fiendful	Front Spring Horn, Left (Model 6, 9 and 29)	1	.90
11-D-105	Fiendish	Front Spring Horn, Right (Model 8 and 11)	1	.90
11-D-106	Fiercely	Front Spring Horn, Left (Model 8 and 11)	1	.90
X-7-123		Round Head Rivet 5/16"x1"	6	.30
X-7-128		Round Head Rivet 5/16"x2 1/2"	2	.12
6-D-220	Fiftieth	Head Lamp Bracket Socket	2	1.10
X-7-123		Round Head Rivet 5/16"x1"	8	.20
11-D-224	Fighting	Front Splash Apron Clip (Model 8 and 11)	2	.44
X-7-116		Round Head Rivet 1/4"x 3/8"	2	.35
6-D-230	Figulate	Front Motor Support Bracket (Model 4 and 5)	1	.35
X-7-134		Round Head Rivet 3/8"x1"	2	.45
X-7-145		Round Head Rivet 3/8"x3"	2	.45
4-D-222	Figurate	Front Fender Iron Bracket (Model 4)	2	.35
X-7-125		Round Head Rivet 5/16"x1 1/4"	4	.45
6-D-222	Figuring	Front Fender Iron Bracket (Model 5, 5A, 6, 9, 29, 8 and 11)	2	.45
X-7-123		Round Head Rivet 5/16"x1"	4	.45
4-D-202	Figurist	Front Spring Shackle Bracket (Model 4)	2	.45
6-D-201	Figworth	Front Spring Shackle Bracket, Right (Model 5, 5A, 6, 9, 29, 8 and 11)	1	.45
6-D-202	Filament	Front Spring Shackle Bracket, Left (Model 5, 5A, 6, 9, 29, 8 and 11)	1	.45
4-D-205	Filature	Rear Spring Shackle Bracket, Right (Model 4)	1	.45
4-D-206	Filially	Rear Spring Shackle Bracket, Left (Model 4)	1	.45
5-D-205	Filiform	Rear Spring Shackle Bracket, Right (Model 5, 5A, 6, 9, 29, 8 and 11)	1	.45
5-D-206	Filigree	Rear Spring Shackle Bracket, Left (Model 5, 5A, 6, 9, 29, 8 and 11)	1	.45
X-7-123		Round Head Rivet 5/16"x1"	12	.45
4-D-227	Filibeg	Radiator Bracket, Right (Model 4)	1	.45
4-D-228	Filthily	Radiator Bracket, Left (Model 4)	1	.45
5-D-227	Filtrate	Radiator Bracket, Right (Model 5)	1	.45
5-D-228	Finality	Radiator Bracket, Left (Model 5)	1	.45
X-7-123		Round Head Rivet 5/16"x1"	6	.05
5-D-235	Fineless	Mud Pan Spring Clip, Front (Model 4, 5, 5A, 6, 9 and 29)	2	.05
5-D-236	Finesses	Mud Pan Spring Clip, Rear Upper (Model 4, 5, 5A, 6, 9 and 29)	2	.05
5-D-237	Fingered	Mud Pan Spring Clip, Rear, Lower (Model 4, 5, 5A, 6, 9 and 29)	2	.05
X-7-114		Round Head Rivet 1/4"x1"	4	.40
5-D-210	Finisher	Step Iron (Used with Pressed Steel Running Board) Model 4, 5, 5A, 6, 9 and 29)	6	.55
9-D-208	Finitely	Step Iron (Used with wooden Running Board) (Model 6, 9, 29, 8 and 11)	6	

For illustration of parts described on this page see page 88.

Part No.	Code.	Name.	No. Used	Price Each.
X-7-122		Round Head Rivet 5/16"x7/8"	24	
X-7-123		Round Head Rivet 5/16"x1"	2	
6-D-215	Fippenny	Muffler Bracket (Model 4 and 5)	2	.12
6-D-1215	Firework	Muffler Bracket, Front (Model 5A, 6 and 9)	1	.12
7-P-105	Firmness	Muffler Bracket, Front (Model 29)	1	.12
6-D-215	Fippenny	Muffler Bracket, Rear (Model 5A, 6, 9 and 29)	1	.12
11-D-209	Fishwife	Muffler Bracket (Model 8 and 11)	2	.06
X-7-122		Round Head Rivet 5/16"x7/8"	2	
		Model 4 and 5	2	
6-D-225	Fitfugan	Rear Spring Hanger	4	.92
X-7-123		Round Head Rivet 5/16"x1"	10	
* * * * *				
Bolted Parts				
6-D-260	Fitfully	Head Lamp Bracket	2	.70
X-9-107		Lock Washer 5/8"	2	
X-11-107		Hex Nut 5/8"-18 S.A.E.	2	
6-D-263	Fivefold	Head Lamp Bracket Tie Rod	1	.15
X-3-122		Hex Cap Screw 5/16"-24x7/8" S. A. E.	2	
X-9-102		Lock Washer 5/16"	2	
X-11-102		Hex Nut 5/16"-24 S.A.E.	2	
6-D-270	Fixation	Radiator Bracket Strap (Model 4 and 5)	1	.20
X-24-201		Flat Head Stove Bolt 5/16"x1"	4	
X-9-102		Lock Washer 5/16"	4	
6-D-265	Fixative	Electric Starter Switch Bracket (Model 4 and 5)	1	.40
X-3-117		Hex Cap Screw 5/16"-24x1" S.A.E.	2	
X-9-102		Lock Washer 5/16"	3	
X-11-102		Hex Nut 5/16"-24 S.A.E.	3	
4-D-255	Flagging	Ignition Coil Bracket (Model 4)	1	.25
6-D-255	Flagrant	Ignition Coil Bracket (Model 4 and 5)	1	.25
X-3-117		Hex Cap Screw 5/16"-24x1" S.A.E.	2	
X-9-102		Lock Washer 5/16"	2	
X-11-102		Hex Nut 5/16"-24 S.A.E.	2	
4-H-140	Flambeau	Steering Gear Frame Bracket (Model 4)	1	3.40
7-H-140	Flamingo	Steering Gear Frame Bracket (Model 29, to Car No. 14833)	1	3.40
5-H-140	Flapjack	Steering Gear Frame Bracket (Model 5, 5A and 9, To Car No. 14833)	1	3.40
6-H-105	Flapping	Steering Gear Frame Bracket (Model 6, 9 and 29, from Car No. 14834)	1	3.40
11-H-101	Flashily	Steering Gear Frame Bracket (Model 8 and 11)	1	3.40
X-3-117		Hex Cap Screw 5/16"-24x1" S. A. E.	1	
X-9-102		Lock Washer 5/16"	8	
X-11-102		Hex Nut 5/16"-24 S.A.E.	8	
X-35-105		Hex Head Bolt 5/8"-24x1 1/2" S.A.E. (Clamp Bolt) (Special)	1	
X-9-103		Lock Washer 3/8"	1	
X-11-103		Hex Nut 5/8"-24 S.A.E.	1	
		(For Tire Carrier See "Wheels")		

For illustration of parts described on this page see page 88.




Illustration of parts described on pages 87 and 89.

Dort Motor Car Co., Flint, Mich.

Part No.	Code.	Name.	No. Used	Price Each.
SPRINGS				
Front Spring				
4-S-101	Flatlong	Front Spring (Model 4) -----	2	
6-S-101	Flatness	Front Spring (Model 5) -----	2	
6-S-1101	Flattery	Front Spring (Six Leaves) (Model 5A) -----	2	
6-S-2101	Flating	Front Spring (Seven Leaves) (Model 5A, 6, 9 and 29) -----	2	On Application
9-S-101	Flatina	Front Spring (seven leaves) (Model 6, 9, 8 and 11) -----	2	
11-S-101	Flatliner	Front Spring (seven leaves, 2 1/4") (Model 8 and 11) -----	2	
6-S-1107	Flatfish	Front Spring Bolt Bushing (Model 5A, 6, 9, 29, 8 and 11) -----	4	.40
6-S-109	Flatuous	Front Spring Rebound Clip (Includes Bolt and Nut) (Model 4 and 5) -----	4	.35
6-S-1109	Flatwise	Front Spring Rebound Clip (Includes Bolt and Nut) (Model 5A) -----	4	.35
6-S-2109	Flautist	Front Spring Rebound Clip (Includes Bolt and Nut) (Model 6, 9, 29, 8 and 11) -----	4	.35
4-S-108	Flavored	Front Spring Center Bolt (Model 4) -----	4	.20
6-S-108	Flawless	Front Spring Center Bolt (Model 5) -----	2	.20
6-S-1108	Flaxseed	Front Spring Center Bolt (Model 5A, 6, 9, 29, 8 and 11) -----	2	.20
X-11-102		Hex Nut 5/16"-24 S. A. E. -----	4	.25
4-S-201	Fleabane	Front Spring Clip (Model 4) -----	4	.25
6-S-201	Fleawort	Front Spring Clip (Model 5, 5A, 6, 9, 29, 8 and 11) -----	4	.25
11-S-204	Fleboton	Front Spring Clip, (2 1/4" Spring) (Model 8 and 11) -----	4	.25
X-9-104		Lock Washer 7/16" -----	8	.10
X-11-104		Hex Nut 7/16"-20 S. A. E. -----	8	.10
4-S-205	Flection	Front Spring Clip Spacer (Model 4) -----	2	.55
9-S-205	Fleeting	Front Spring Clip Spacer (Model 5, 5A, 6, 9, 29, 8 and 11) -----	6	.45
4-S-301	Fleshful	Front Spring Bolt (With Cap) (Model 4) -----	6	.38
5-S-301	Fleshpot	Front Spring Bolt (With Cap) (Model 5, 5A, 6, 9, 29, 8 and 11) -----	6	.65
X-9-105		Lock Washer 1/2" S. A. E. -----	6	.65
X-11-105		Hex Nut 1/2"-20 S. A. E. -----	6	
X-18-200		Front Spring Bolt Grease Cap -----	6	
4-S-210	Fletcher	Front Spring Shackle (Model 4) -----	2	
5-S-210	Flexible	Front Spring Shackle (Model 5, 5A, 6, 9 and 29) -----	2	
11-S-1201	Flexuose	Front Spring Shackle (Model 8 and 11) -----	2	
Rear Spring				
4-S-151	Flexuous	Rear Spring (Model 4) -----	2	On Application
6-S-105	Flimflam	Rear Spring (Model 6) -----	2	
6-S-1105	Flimflaw	Rear Spring (Model 6 and 8) -----	2	
9-S-105	Flimfluy	Rear Spring (Model 5, 5A, 9, and 29) -----	2	
9-S-1105	Flingaby	Rear Spring (Model 9 and 11) -----	2	
11-S-105	Flinbaga	Rear Spring, 2 1/4" (Model 8 and 11) -----	2	.47
4-S-162	Flincher	Rear Spring Bolt Bushing (Model 4) -----	2	
5-S-162	Flippant	Rear Spring Bolt Bushing (Model 5, 5A, 6, 9, 29, 8 and 11) -----	2	.40

For illustration of parts described on this page see page 90.

Illustration of parts described on pages 91, 92 and 93.

